


## БАШЕННЫЙ КРАН С ПОДЪЕМНОЙ СТРЕЛОЙ



**CTL 140-10 TS**


Картограмма нагрузки

CTL 140-10

				М	15	20	25	30	35	40	45	50
				М								
5 т	-	28.4	М	Т	5.00	5.00	5.00	4.61	3.60	2.85	2.27	1.80
5 т	-	29.2	М	Т	5.00	5.00	5.00	4.81	3.78	3.00	2.4	*
7.5 т	-	22.1	М	Т	7.50	7.50	6.36	4.92	3.88	3.10	2.50	
10 т	-	17.4	М	Т	10.00	8.42	6.25	4.81	3.78	3.00	2.40	
5 т	-	30	М	Т	5.00	5.00	5.00	5.00	3.97	3.2	*	
7.5 т	-	22.5	М	Т	7.50	7.50	6.56	5.11	4.07	3.30		
10 т	-	17.7	М	Т	10.00	8.62	6.45	5.01	3.97	3.20		
5 т	-	34.9	М	Т	5.00	5.00	5.00	5.00	4.40			
7.5 т	-	23.1	М	Т	7.50	7.50	6.78	5.33	4.30			
10 т	-	18.1	М	Т	10.00	8.85	6.68	5.23	4.20			
5 т	-	30.0	М	Т	5.00	5.00	5.00	5.00				
7.5 т	-	23.5	М	Т	7.50	7.50	6.95	5.50				
10 т	-	18.3	М	Т	10.00	9.02	6.84	5.40				

\*= + 200 kg [ 45 m - 40 m ]


Другие конфигурации



Телескопический кран

TS 16c												
[m]												
	L <sub>1</sub>	L <sub>2</sub>	L <sub>3</sub>	L <sub>4</sub>	L <sub>5</sub>	L <sub>1-2</sub>	L <sub>3-4</sub>	L <sub>1</sub>	L <sub>2</sub>			
C <sub>min</sub>	13					11			9			
H <sub>max</sub>	44.3	41.3	38.4	35.4	32.5	35.4	29.5	35.4	29.5			
A <sub>min</sub>	2											
x	2.3											
y	1.8											

TS 21c													
[m]													
	L <sub>1</sub>	L <sub>2</sub>	L <sub>3</sub>	L <sub>4</sub>	L <sub>5</sub>	L <sub>1-2</sub>	L <sub>3-4</sub>	L <sub>5</sub>	L <sub>1</sub>	L <sub>2-3</sub>	L <sub>4-5</sub>	L <sub>1</sub>	L <sub>2-3</sub>
C <sub>min</sub>	15					13			11			9	
H <sub>max</sub>	50.2	47.2	44.3	41.3	38.4	41.3	35.4	29.5	38.4	35.4	29.5	35.4	29.5
A <sub>min</sub>	2												
x	2.8												
y	2.3												




Кран, прикрепленный к объекту

TS 16 R1						TS 21 R2					
[m]											
	L <sub>1-2</sub>	L <sub>3-4</sub>	L <sub>5</sub>	L <sub>1-2</sub>	L <sub>3-4</sub>	L <sub>5</sub>	L <sub>1-2</sub>	L <sub>3-4</sub>	L <sub>5</sub>		
A <sub>min/max</sub>	24/30	24/27	24/25	24/36	24/33	24/30					
B <sub>min/max</sub>	17.7/23.6	17.7/23.6	17.7/23.6	17.7/23.6	17.7/23.6	17.7/23.6					
C <sub>max</sub>	30	27	25	36	33	30					
H <sub>max</sub>											


Проконсультируйтесь с нами

Башня

TS16




R1	890 kN	1100 kN
R2	-	-
	40 t (FP1)	




R1	1600 kN	2200 kN
R2	1200 kN	1950 kN
	40 t	

TS21



R1	750 kN	1000 kN
R2	-	-
	46 t (FP2)	



R1	1350 kN	2150 kN
R2	950 kN	1850 kN
	45 t	


H Максимальная высота под крюком

● При эксплуатации






◄ Без эксплуатации






Без нагрузки, без противовеса, максимальная стрела и максимальный вес









**Механизмы**

		
104 кВА*	400 В – 50 Гц / 460 В – 60 Гц	2000/14/CE

\* Кран без оборудования для перевозки

		м/мин	т	кВт		
	<b>43 AFC 50 R00</b> <b>43 AFC 50 R01</b> <b>(VECTOR)</b>		0 ⇨ 3	5	43	580 m (R00) 850 m (R01)
			0 ⇨ 11	5		
			0 ⇨ 44	5		
			0 ⇨ 80	2.5		
			0 ⇨ 120	1.6		
			0 ⇨ 2	7.5		
			0 ⇨ 7.3	7.5		
			0 ⇨ 29.3	7.5		
			0 ⇨ 53.3	3.75		
			0 ⇨ 80	2.4		
			0 ⇨ 1.5	10		
			0 ⇨ 5.5	10		
			0 ⇨ 22	10		
			0 ⇨ 40	5		
			0 ⇨ 60	3.2		

	<b>LFC 37 R00</b> <b>(VECTOR)</b>	1.5 мин	37 кВт
	<b>SCC 2 2 100S</b>	0 ⇨ 0.75 об/мин	2 x 5.81 кВт
	<b>TAD 2 RG 4 M3</b>	0 ⇨ 24 м/мин	4 x 3 Нм
			

-  Подъем
-  Перемещение
-  Поворот
-  Передвижение
-  Указания по уровню шума
-  Проконсультируйтесь с нами
-  Потребляемая мощность
-  Источник питания

Gru Comedil s.r.l.

A Terex Company

Via S. Egidio 42/A, 33074 Fontanafredda (PN) - Italy  
Tel. (+39) 0434 567 311 - Telefax (+39) 0434 998631

Internet e-mail: [info@comedil.com](mailto:info@comedil.com)  
Internet home page: [www.comedil.com](http://www.comedil.com)

Divisione Automontanti

Via Alessandrina, 25 - 20095 Cusano Milanino (MI) - Italy  
Tel. (+39) 02 613 16011 - Telefax (+39) 02 613 16034

Internet e-mail: [info.CBR@comedil.com](mailto:info.CBR@comedil.com)