




TEREX | COMEDIL

БАШЕННЫЙ КРАН «FLAT TOP»




FEM 1.001 A3

“CITY” СГТ 181 / B-8 TS21

Картограмма нагрузки

СТТ 181 / В - 8															
			10	15	20	25	30	35	40	45	50	55	60	65	
4т	-	34.97 м	4.00	4.00	4.00	4.00	4.00	4.00	3.42	2.98	2.63	2.34	2.10	1.90	
4т	-	34 м	4.00	4.00	4.00	4.00	4.00	3.86	3.29	2.84	2.48	2.19	1.95	1.75	
8т	-	18.67 м	8.00	8.00	7.40	5.73	4.64	3.86	3.29	2.84	2.48	2.19	1.95	1.75	
4т	-	41.54 м	4.00	4.00	4.00	4.00	4.00	4.00	4.00	3.65	3.23	2.89	2.60		
4т	-	39.67 м	4.00	4.00	4.00	4.00	4.00	4.00	3.96	3.44	3.02	2.68	2.40		
8т	-	21.72 м	8.00	8.00	8.00	6.83	5.54	4.64	3.96	3.44	3.02	2.68	2.40		
4т	-	44.14 м	4.00	4.00	4.00	4.00	4.00	4.00	4.00	3.91	3.46	3.10			
4т	-	42.21 м	4.00	4.00	4.00	4.00	4.00	4.00	4.00	3.71	3.26	2.90			
8т	-	23.08 м	8.00	8.00	8.00	7.31	5.95	4.98	4.26	3.71	3.26	2.90			
4т	-	45.62 м	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	3.60				
4т	-	43.67 м	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	3.86	3.40			
8т	-	23.87 м	8.00	8.00	8.00	7.59	6.18	5.18	4.44	3.86	3.40				
4т	-	45 м	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00				
8т	-	24.58 м	8.00	8.00	8.00	7.85	6.39	5.36	4.59	4.00					
4т	-	40 м	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00					
8т	-	25.06 м	8.00	8.00	8.00	8.00	6.54	5.48	4.70						
4т	-	35 м	4.00	4.00	4.00	4.00	4.00	4.00	4.00						
8т	-	25.52 м	8.00	8.00	8.00	8.00	6.67	5.60							

Другие конфигурации




Телескопический кран недоступен (только с башней TS21)




	TS 21 R ₃	TS 21 R ₄
	[m]	[m]
A _{min/max}	30 / 45	45 / 75
B _{min/max}	17.7 / 23.6	
C _{max}	35	35
H _{max}	ⓘ	ⓘ

Башня


TS21
(■)




R1	950 kN ●	800 kN ◄
R2	-	-
	49.3 t (T4)	




R1	950 kN ●	800 kN ◄
R2	-	-
	48.3 t	



R1	900 kN ●	970 kN ◄
R2	-	-
	56.3 t (T3)	






R1	1510 kN ●	2020 kN ◄
R2	1120 kN ●	1690 kN ◄
	48.3 t	







R1	2350 kN ●	4400 kN ◄
R2	1650 kN ●	3700 kN ◄
	90 t	







Н Максимальная высота под крюком
 ● При эксплуатации
 ◄ Без эксплуатации
 □ Без нагрузки, без противовеса, максимальная стрела и максимальный вес
 Альтернатива

Механизмы









		
70 кВА*	400 В – 50 Гц / 460 В – 60 Гц	2000/14/CE

* Кран без оборудования для перевозки

		м/мин	т	кВт			
 30 AFC 40 D2 F12 30 AFC 40 D1 F12 LB 30 AFC 40 D1 F11 LB (VARIANT)		0 ⇌ 3	4	30	278 m (D2 F12)		
		3 ⇌ 10	4			350 m (D1 F12 LB)	
		10 ⇌ 41	4				480 m (D1 F11 LB)
		41 ⇌ 66	2.38				
		66 ⇌ 82	1.86				
		0 ⇌ 1.5	8				
		1.5 ⇌ 5	8				
		5 ⇌ 20.5	8				
		20.5 ⇌ 33	4.76				
		33 ⇌ 41	3.72				

	DVF 3 5 D1 (Variant)	0 ⇌ 6 ⇌ 32 ⇌ 64 м/мин		5 кВт
	SSR 2 2 65	0.7 об/мин (50 Гц)	0.84 об/мин (60 Гц)	2 x 65 Нм
 	▲ TAD 2 RP 2M4	0 – 24 м/мин		2 x 4 кВт
	● TAD 2 RG 4M3			4 x 3 кВт
				

	▲	●
	Максимальная Н [м]	
T ₃	39.1	> 39.1
T ₄	32.9	> 32.9

-  Подъем
-  Перемещение
-  Поворот
-  Передвижение
-  Указания по уровню шума
-  Проконсультируйтесь с нами
-  Потребляемая мощность
-  Источник питания

Gru Comedil s.r.l.

A Terex Company



Divisione Automontanti

Via S. Egidio 42/A, 33074 Fontanafredda (PN) - Italy
Tel. (+39) 0434 567 311 - Telefax (+39) 0434 998631

Internet e-mail: info@comedil.com
Internet home page: www.comedil.com

Via Alessandrina, 25 - 20095 Cusano Milanino (MI) - Italy
Tel. (+39) 02 613 16011 - Telefax (+39) 02 613 16034

Internet e-mail: info.CBR@comedil.com